

REMARK E12ES PACKING INSTRUCTIONS REV. NOVEMBER 3, 2004

PURSUANT TO ARTICLE 4 OF REMARK C64ES (terms and Conditions), THIS REMARK E12ES ,SETS FORTH THE PACKING REQUIREMENTS WHICH HAVE BEEN MODIFIED AS OF NOVEMBER 3, 2004. IF COMPLIED WITH, THE STANDARDS SET FORTH IN THIS REMARK E12ES WILL MEET SELLER'S E12ES PACKAGING REQUIREMENTS FOR ANY PREVIOUSLY ISSUED AND OPEN PURCHASE ORDERS.

INSTRUCTIONS FOR PREPARING SHIPMENTS TO GENERAL ELECTRIC

1. GENERAL INSTRUCTIONS
 - A. ROUTE TO AND MAINTAIN IN YOUR SHIPPING DEPARTMENT.
 - B. NO SEPARATE CHARGES FOR BOXING WILL BE ALLOWED.
 - C. SELLER SHALL BE RESPONSIBLE FOR PACKING AND PACKAGING NECESSARY TO WITHSTAND TRANSPORTATION HAZARDS AND FOR PREPARING SHIPMENTS IN ACCORDANCE WITH THE INSTRUCTIONS FURNISHED BY GE. FRAGIL PARTS SUSCEPTIBLE TO HANDLING DAMAGE MUST BE PACKAGED TO PROTECT MATERIAL UNTIL POINT OF USE.
 - D. PACKAGING REQUIREMENTS FOR SHIPMENTS ON COMMERCIAL BILLS OF LADING MUST MEET COMMERCIAL STANDARDS AND ACCEPTED PRACTICES OF THE INDUSTRY. THE PACKAGING MUST PROVIDE FULL PROTECTION OF MATERIAL TO ULTIMATE DESTINATION AND MUST CONFORM TO GOVERNING CLASSIFICATIONS.
 - E. THE USE OF EXPANDED POLYSTYRENE (FOAM PEANUTS) IS PROHIBITED.
 - F. PARTIAL RELEASE MATERIAL MUST BE PACKAGED SEPARATELY AND IDENTIFIED ON A SEPARATE PACKING LIST.
 - G. METHODS OF HANDLING, MOVING AND TRANSPORTING PACKAGES SHOULD ENSURE THAT SHIPMENTS ARRIVE AT GENERAL ELECTRIC UNDAMAGED. PARTS SHALL BE PACKAGED TO PROTECT PARTS DURING ROUTINE INTERNAL MOVEMENT WITHIN GEES.
 - H. IT IS A GEES SAFETY REQUIRMENT THAT NO EMPLOYEE LIFT OVER 50 POUNDS. MULTIPLE CONTAINERS WEIGHING OVER 50 POUNDS MAY NOT BE ON THE SAME PALLET. FOR MORE INSTRUCTIONS CONCERNING MULTIPLE CONTAINER SHIPMENTS SEE 4 AND 5 OF THIS REMARK.
 - I. CORRUGATED FIBERBOARD CONTAINERS 12" X 12" X 12" OR SMALLER CANNOT WEIGH MORE THAN 25 POUNDS EACH.
 - J. ALL REGULATED WOOD PACKAGING MATERIAL (WPM) MUST CONFORM WITH THE INTERNATIONAL PLANT PROTECTION (IPPC) GUIDELINES AS FOLLOWS:
 1. WPM MUST BE HEAT TREATED TO ATTAIN A MINIMUM CORE TEMPERATURE OF 56 DEGREES CENTIGRADE FOR A MINIMUM OF 30 MINUTES, OR FUMIGATED WITH METHYL BROMIDE.
 2. WPM MUST BE MARKED IN A VISIBLE LOCATION ON EACH ARTICLE, PREFERABLY ON AT LEAST TWO OPPOSITE SIDES OF THE ARTICLE, WITH A

LEGIBLE AND PERMANENT MARK. THE MARK MUST BE APPROVED BY THE INTERNATIONAL PLANT PROTECTION CONVENTION (IPPC) IN ITS INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES TO CERTIFY THAT WPM HAS BEEN SUBJECTED TO AN APPROVED MEASURE, AND MUST INCLUDE A UNIQUE GRAPHIC SYMBOL, THE ISO TWO-LETTER COUNTRY CODE FOR THE COUNTRY THAT PRODUCED THE WPM, A UNIQUE NUMBER ASSIGNED BY THE NATIONAL PLANT PROTECTION AGENCY OF THAT COUNTRY TO THE PRODUCER OF THE WPM, AND AN ABBREVIATION DISCLOSING THE TYPE OF TREATMENT (E.G., HT FOR HEAT TREATMENT, OR MB FOR METHYL BROMIDE FUMIGATION). PAPER CERTIFICATION (TREATMENT CERTIFICATES) WILL NOT BE REQUIRED.

3. THE CURRENTLY APPROVED FORMAT FOR THE MARK IS AS FOLLOWS, WHERE XX WOULD REPRESENT THE COUNTRY CODE, 000 THE PRODUCER NUMBER, AND YY THE TYPE OF TREATMENT.

NON-COMPLYING SHIPMENTS ARRIVING IN THE UNITED STATES ON OR AFTER SEPTEMBER 16, 2005 WILL BE REFUSED ENTRY. UNMARKED WPM MAY BE SEPARATED FROM THE COMMODITY BEING IMPORTED, IF THE INSPECTOR DETERMINES SEPARATION CAN BE DONE WITHOUT PEST ESCAPE. A USER FEE WILL BE ASSESSED FOR SUPERVISING THE SEPARATION OF THE WPM FROM THE CARGO. TREATMENT WILL BE ALLOWED IF HITCHHIKING (NON-WOOD) PESTS ARE INTERCEPTED WITH IPPC MARKED WPM.

EXEMPTIONS:

WPM MADE ENTIRELY OF MANUFACTURED WOOD MATERIAL (E.G. PARTICLE BOARD, PLYWOOD, ORIENTED STRAND BOARD) AND WINE AND WHISKEY BARRELS, OR WPM MADE ENTIRELY OF THIN PIECES OF WOOD, (6MM THICKNESS OR LESS).

WPM MADE OF CANADIAN ORIGIN WOOD.

WPM USED BY THE US DEPARTMENT OF DEFENSE TO PACKAGE NON-REGULATED ARTICLES, INCLUDING COMMERCIAL SHIPMENTS PURSUANT TO DOD CONTRACT, MAY BE IMPORTED WITHOUT THE REQUIRED IPPC MARK.

- K. STAPLES SHALL NOT BE USED TO SEAL BAGS. TAPE OR OTHER NON-METALLIC METHOD SHALL BE USED TO PREVENT THE POTENTIAL FOR FOD (FOREIGN OBJECT DAMAGE).
- L. METAL BANDING SHALL NOT BE USED ON SHIPMENTS OF FINISHED PARTS. VINYL OR OTHER NON-METALLIC BANDING SHALL BE USED. IT IS PERMISSIBLE TO USE METAL BANDING ON SHIPMENTS WHERE NON-METALLIC BANDINGS ARE NOT STRONG ENOUGH (HEAVY FORGINGS AND SUCH)
- M. SERIALIZED PARTS PACKAGED IN PRESERVATIVE ARE TO BE KEPT SEALED UNTIL TIME OF USE SHALL INCLUDE THE SERIAL NUMBER ON THE EXTERIOR OF THE UNIT PACK.
- N. WOOD CONTAINER LIDS SHALL BE ATTACHED USING PHILLIPS HEAD SCREWS IN THE PLACE OF NAILS TO FACILITATE THE OPENING AND CLOSING OF THE CONTAINER.
- O. ALL MATERIAL WITH CLEANLINESS OR CONTAMINATION REQUIREMENTS ON THE DRAWING SHALL BE ADEQUATELY PACKAGED TO PROTECT THE PART UNTIL POINT OF USE.

3. MARKING

- A. CONSIGNMENT ADDRESS AS IDENTIFIED ON THE CORRESPONDING PURCHASE ORDER IS TO BE PLACED ON THE TOP OR SIDE OF ALL CONTAINERS.
- B. MARKINGS SHOULD BE ARRANGED IN A MANNER THAT ENSURES THAT OPENING AND CLOSING THE CONTAINER WOULD NOT CAUSE LOSS OR DAMAGE TO THE IDENTIFICATION.
- C. INFORMATION REQUIRED ON EACH P.O. ITEM CONTAINER: (BAR CODE, LABEL, PACKING LIST, ON EXTERIOR OF CONTAINER)
- PURCHASE ORDER NUMBER
 - PURCHASE ORDER ITEM NUMBER
 - PART NUMBER
 - QUANTITY IN CONTAINER
 - TOTAL QUANTITY OF SHIPMENT (on first container only)
 - CONTAINER # __ OF __ (SEE 5 - MULTIPLE CONTAINERS)
 - PACKING LIST NUMBER
 - NAME OF MANUFACTURER
 - MADE IN _____ (COUNTRY OF MANUFACTURE) (SEE 19 USC 1304).
 - SERIAL NUMBER(S) (IF MARKED ON ITEM(S))
 - DATE OF MANUFACTURE (IF MARKED ON ITEM(S))
 - RELEASE AUTHORIZATION (WHEN REQUIRED)
 - WEIGHT OF CONTAINER (IN CHARACTERS 1 1/2" (MIN) IN HEIGHT)
- D. MARKING MEDIA COLOR SHOULD CONTRAST THE CONTAINER COLOR.
- E. PRECAUTIONARY AND HANDLING REQUIREMENTS SHALL BE APPLIED AS REQUIRED. THIS INCLUDES MARKING FOR RADIOACTIVE MATERIAL AND ITEMS HAVING A SHELF LIFE.
- F. PARTS ON SKIDS WHICH ARE NOT CONTAINERIZED SHOULD BE IDENTIFIED USING LABELS VISIBLY LOCATED.
- G. ALL RETURNABLE CONTAINERS MUST BE IDENTIFIED AS "RETURNABLE".
- H. IN THE CASE OF "KITS" WHERE INDIVIDUAL KIT COMPONENTS WERE MADE IN DIFFERENT COUNTRIES, THE COUNTRY OF MANUFACTURE MUST BE SHOWN FOR EACH SEPARATE PART NUMBER.
- I. FOR, KITS, A PACKING LIST SHALL BE PLACED ON THE INSIDE OF EACH KIT LISTING ALL COMPONENTS INCLUDING AT A MINIMUM; PART NUMBER, NOMENCLATURE, QUANTITY AND COUNTRY OF ORIGIN. THERE SHALL BE NO COST OR PRICING DATA INCLUDED ON THE PACKING LIST.

4. PACKING LIST (WHEN BAR CODED LABELING IS NOT USED)
 - A. WILL INCLUDE THE INFORMATION LISTED IN 2.C ABOVE.
 - B. THE ORIGINAL SHOULD BE PLACED IN A WATERPROOF ENVELOPE AND SECURED TO THE MARKED END OF THE CONTAINER OR CONTAINER ONE IF MULTIPLE CONTAINERS. A COPY OF THE PACKING LIST IS REQUIRED ON EACH CONTAINER IF MULTIPLE CONTAINERS.
 - C. A COPY OF THE PACKING LIST SHOULD BE PLACED INSIDE OF THE CONTAINER OR CONTAINER ONE IF MULTIPLE CONTAINERS.
 - D. WHEN BANDED/STRAPPED OR SHRINK-WRAPPED MULTIPLE CONTAINERS ARE SHIPPED, THE PACKING LIST MUST BE ACCESSIBLE WITHOUT UNBANDING THE SHIPMENT.
5. MULTIPLE CONTAINERS
 - A. MULTIPLE CONTAINER SHIPMENTS CONTAINING THE SAME PART NUMBER, P.O. NUMBER, P.O. ITEM NUMBER SHOULD BE STRAPPED/BANDED OR SHRINK-WRAPPED TOGETHER ON ONE SKID OR PALLET. ANY INDIVIDUAL CONTAINERS WEIGHING OVER 50 POUNDS HAVE THEIR OWN BAR CODE LABEL OR PACKING LIST.
 - B. EACH P.O. ITEM NUMBER MUST BE PACKED SEPARATELY AND EACH PACKAGE SHOULD DISPLAY THE INFORMATION AS LISTED IN 2.C ABOVE.
 - C. THE BILL OF LADING SHOULD BE ANNOTATED "SEPARATION OF BANDED OR WRAPPED SKIDS DURING TRANSIT IS NOT ALLOWED".
 - D. THE OUTSIDE OF THE CONTAINER/SHIPMENT SHOULD BE MARKED IN BOLD LETTERS "**DO NOT SEPARATE THIS SHIPMENT**".
6. OVERPACKED CONTAINERS
 - A. P.O. ITEM CONTAINERS HAVING SEPARATE PACKING LISTS MAY BE PLACED IN AN OVERSIZE CONTAINER. EACH CONTAINER MUST BE CONSPICUOUSLY IDENTIFIED BY PART NUMBER.
 - B. THE OUTSIDE OF THE CONTAINER MUST DISPLAY ALL OF THE P.O.NUMBERS, P.O.ITEM NUMBERS AND PART NUMBERS CONTAINED IN THE OVERPACKED BOX.
 - C. MULTIPLE CONTAINER CONTAINING THE SAME PART NUMBER, P.O. NUMBER, P.O. ITEM NUMBER AND WEIGHING LESS THAN 50 POUNDS SHOULD BE OVERPACKED INTO ONE CONTAINER. REFERENCE SECTION 1.H.
7. DOCUMENTATION
 - A. COST AND PRICING DATA IS CONSIDERED PROPRIETARY INFORMATION AND SHALL NOT BE INCLUDED ON ANY PAPERWORK INSIDE THE CONTAINERS.
 - B. IF APPLICABLE, INCLUDE THE FOLLOWING ON TOP OF THE INSIDE OF THE CONTAINER OR ON TOP OF THE INSIDE OF CONTAINER ONE IF MULTIPLE CONTAINERS
 - CERTIFICATIONS
 - INSPECTION REPORTS

- FUNCTIONAL TEST REPORTS

***** BOTTOM OF DATA ***** ,